A NEW APPROACH FOR CONSIDERING A DUAL-ROLE FACTOR IN SUPPLIER SELECTION PROBLEM

Mahdi Mahdiloo¹, Abdollah Noorizadeh¹, Reza Farzipoor Saen²*

Department of Industrial Management, Islamic Azad University- Karaj Branch, Karaj, Iran (IRI)
 Department of International Business and Asian Studies, Gold Coast campus, Griffith University (AUSTRALIA)
 *Corresponding author: farzipour@yahoo.com

ABSTRACT

This paper addresses the problem of a factor in supplier selection analysis which may be classified either an input or an output. The quantity of such a factor may influence the relative efficiency of the Suppliers. Despite the fact that there are several publications addressing dual-role factors, it seems that their idea of classifying a factor as an input or an output within a single model cannot consider the causality relationships between inputs and outputs. A simple approach is proposed to resolve this limitation and to consider dual-role factor as well. A numerical example demonstrates the application of the proposed approach in supplier selection context.

Key words: Supplier selection; Data envelopment analysis; Dual-role factor

1. INTRODUCTION

Today firms are more actively involving suppliers in their integrated development processes and have identified suppliers as a source of competitive advantage. That means that there is room for development and identification of factors that could help sustain or improve the relationship between the buyer and the supplier in outsourced product development (Nellore, 2001). Carr and Pearson (1999) declare that firms with a strategic approach to purchasing are more involved in supplier evaluation than other firms. It was also shown that this strategic approach has a positive impact on buyer-seller relationships and finally, supplier evaluation systems has a positive effect on the buying firm's financial performance and may benefit various departments of the buying company. Hahn et al. (1990) emphasize that an organization's ability to produce a quality product at a reasonable cost and in a timely manner is heavily influenced by its suppliers' capabilities. In the current competitive environment, suppliers are important resources for manufacturers. Suppliers have a large and direct impact on the cost, quality, technology, and time-to-market of new products (Handfield et al., 1999). Talluri and Narasimhan (2004) emphasize that managing the supply base by identifying, selecting and managing suppliers for strategic, long term partnerships is a key ingredient to the success of a supply chain.

Data envelopment analysis (DEA) has been widely applied to address various decision analysis problems due to its usefulness in evaluating multi-criterion systems. DEA is a nonparametric mathematical programming technique that determines an efficient frontier of the most efficient decision making units (DMUs) and calculates the efficiency of each DMU relative to this efficient frontier based on multiple observed inputs and outputs. An efficiency score of a DMU is generally defined as the weighted sum of outputs divided by the weighted sum of inputs, while weights need to be assigned. To avoid the potential difficulty in assigning these weights among various DMUs, a DEA model computes weights that give the highest possible relative efficiency score to a DMU while keeping the efficiency scores of all DMUs less than or equal to one under the same set of weights (Liu et al., 2000). However, there is a strong argument for permitting certain factors to simultaneously play the role of both inputs and outputs. Beasley (1990, 1995), in a study of the efficiency of university departments, treated research funding on both the input and output sides. However, as Cook et al. (2006) addressed, the model proposed by Beasley (1990, 1995) has two limitations. The first limitation is that in the absence of constraints (e.g., assurance region or cone-ratio) on the multipliers, each DMU may be 100% efficient. The second limitation is that the dualrole factor is considered differently on the input than on the output side. Cook et al. (2006) developed a new model that has not the above mentioned limitations. However, the aforementioned references suffer from a big limitation: They classify a factor as an input or an output within a single model and cannot guarantee that the production function and the causality relationships between inputs and outputs are verified. That is, considering a factor simultaneously as an input and an output in a single model means that there is a factor that is used to produce itself.

The objective of this paper is to propose a simple approach for selecting suppliers in the presence of a dual-role factor.

This paper proceeds as follows. In Section 2, literature review is presented. Section 3 introduces the approach. Numerical example and concluding remarks are discussed in Sections 4 and 5, respectively.

2. LITERATURE REVIEW

Some mathematical programming approaches have been used for supplier selection in the past. Nydick and Hill (1992), Barbarosoglu and Yazgac (1997), and Narasimhan (1983) used analytic hierarchy process (AHP) to support supplier selection decisions. Kahraman et al. (2003) suggested fuzzy AHP for selecting the best supplier providing the most satisfaction for the determined criteria. Özgen et al. (2008) developed an integration of the AHP

and a multi-objective possibilistic linear programming (MOPLP) to evaluate and select suppliers. Ghodsypour and O'Brien (1998) used AHP and linear programming to select suppliers.

Lin and Chen (2004) presented a fuzzy decision making framework for selecting the most favorable strategic supply chain alliance under limited evaluation resources. Also, Holt (1998) and Li et al. (1997) applied fuzzy sets theory in supplier selection. Chang et al. (2006) proposed a fuzzy multiple attribute decision making method based on the fuzzy linguistic quantifier for supplier selection. Morlacchi (1999) combined AHP with fuzzy set and applied it to evaluate suppliers in the engineering and machine sectors.

Weber (1996) applied DEA in supplier evaluation for an individual product and demonstrated the advantages of applying DEA to such a system. In this study, the criteria for selecting suppliers were significant reductions in costs, late deliveries and rejected materials. Weber et al. (2000) also presented an approach for evaluating suppliers using multi-objective programming (MOP) and DEA. Talluri et al. (2006) developed a chanceconstrained DEA model for selecting suppliers. Talluri and Narasimhan (2003) developed a max-min DEA model for supplier selection problem. Mohammady Garfamy (2006) presented the methodology of applying DEA to compare overall supplier performances based on total cost of ownership (TCO) concept and demonstrated this application through a study for a hypothetical firm. Braglia and Petroni (2000) described a multiple attribute utility theory based on the use of DEA, aimed at helping purchasing managers to formulate viable sourcing strategies in the changing market place. Recently Farzipoor Saen (2010a) considered the ratings for service-quality experience and service-quality credence as dual-role factors for selecting third-party reverse logistics providers. From the perspective of decision maker who intends to select the best supplier, such measures may play the role of proxy for "high quality of services", hence can reasonably be classified as outputs. On the other hand, from the perspective of supplier that intends to supply reverse logistics services, they can be considered as inputs that help the supplier in obtaining more customers. As well, Farzipoor Saen (2010b) proposed a method for selecting suppliers in the presence of dual-role factors and weight restrictions. In this paper the research and development cost was considered as both an input and an output. However, Farzipoor Saen (2010a) and Farzipoor Saen (2010b) classified a factor as an input or an output within a single model which does not consider the causality relationships between inputs and outputs.

To the best of knowledge of authors, there is not any reference dealing with a dual-role factor in a simplistic and straightforward way. The approach presented in this paper has some distinctive contributions.

- The proposed approach is very simple and straightforward.
- The proposed approach considers the causality relationships between inputs and outputs.
- The proposed approach can be easily used in each kind of DEA model without any effort to combine concept of dual-role factor with these models.

3. PROPOSED APPROACH

Beasley (1990, 1995) proposed Model (1) which is based on the standard CCR (Charnes et al., 1978) model to evaluate the efficiency of 50 university departments. Consider a situation where members k of a set of K DMUs are to be evaluated in terms of R outputs $Y_k = (y_{rk})_{r=1}^R$ and I inputs $X_k = (x_{ik})_{i=1}^I$. In addition, assume that a particular factor is held by each DMU in the amount of w_k , and serves as both an input and output factor. The used nomenclatures in this paper are summarized in Table 1.

```
 \max \frac{(\sum_{r=1}^{R} \mu_{r} y_{ro} + \gamma w_{o})}{(\sum_{i=1}^{I} v_{i} x_{io} + \beta w_{o})}  s.t.  \sum_{r=1}^{R} \mu_{r} y_{rk} + \gamma w_{k} - \sum_{i=1}^{I} v_{i} x_{ik} - \beta w_{k} \leq 0, \quad k=1, ..., K,   \mu_{r}, v_{i}, \gamma, \beta \geq 0  (1)
```

Table 1. The nomenclatures

```
DMU<sub>o</sub>: the decision making unit under investigation
k=1,...,k
                 collection of DMUs (suppliers)
                 the set of outputs
r=1,...,R
i=1,...,I
                the set of inputs
x_{io}: ith input of the DMU<sub>o</sub>
v_i: the weight for ith input
y_{ro}: rth output of DM\dot{U}_o
\mu_r: the weight for rth outpu
w_o: level of dual-role factor of DMU<sub>o</sub>
\gamma: the weight for dual-role factor when it is treated on the output side
\beta: the weight for dual-role factor when it is treated on the input side
x_{ik}: the ith input of DMU<sub>k</sub>
y_{rk}: rth output of DMU<sub>k</sub>
w_k: level of dual-role factor of DMU<sub>k</sub>
\lambda_k: Vector of DMU loadings, determining "best practice" for the DMU<sub>o</sub>
\theta_1: Radial efficiency measure for DMU<sub>o</sub> when dual-role factor is treated on the input side
\theta_2: Radial efficiency measure for DMU<sub>o</sub> when dual-role factor is treated on the output side
\theta^*: max (\theta_1, \theta_2)
```

Cook et al. (2006) argue that Beasley's (1990, 1995) treatment of dual-role factor on both the input and output sides is not entirely appropriate and represents somewhat of a contradiction. The contradiction is that Model (1) treats w_0 differently on the input than on the output side.

To correct this apparent flaw, Cook et al. (2006) recommend treating w_o as being nondiscretionary on the input side. Since, on the output side, variables generally remain fixed in the optimization process of an input-oriented model, w_o can be viewed as nondiscretionary as well. From this perspective, Cook et al. (2006) modified Model (1) and showed its linear programming as below:

$$\begin{array}{l} \text{Max } \sum_{r=1}^{R} \mu_{r} y_{ro} + \gamma w_{o} - \beta w_{o} \\ \text{s.t.} \\ \sum_{i=1}^{I} v_{i} x_{io} = 1, \\ \sum_{r=1}^{R} \mu_{r} y_{rk} + \gamma w_{k} - \beta w_{k} - \sum_{i=1}^{I} v_{i} x_{ik} \leq 0, \quad k = 1, ..., K, \\ \mu_{r}, v_{i}, \gamma, \beta \geq 0, \end{array} \tag{2}$$

The inclusion of dual-role factor on the input side of Model (2) as a nondiscretionary input is based on the idea of Banker and Morey (1986). The authors prove that, the way to model such inputs is to move them to the output side, but with the opposite sign. This idea often arises in situations where there are criteria that are beyond the control of the management but influence the efficiency of DMUs. Thus, in evaluating process, these factors are generally expected to remain at their current level.

Now, one of three possibilities exists in regard to the sign of $\hat{\gamma} - \hat{\beta}$, where $\hat{\gamma}$, $\hat{\beta}$ are the optimal values from Model (3); $\hat{\gamma} - \hat{\beta} > 0$, = 0, or < 0 (Cook et al., 2006).

Case 1: If $\hat{\gamma} - \hat{\beta} < 0$, then the dual-role factor is "behaving like input". Hence less of this factor is better, and would lead to an increase in efficiency.

Case 2: If $\hat{\gamma} - \hat{\beta} > 0$, then the dual-role factor is "behaving like output". Hence more of this factor is better, and would lead to an increase in efficiency.

Case 3: If $\hat{\gamma} - \hat{\beta} = 0$, then dual-role factor is at equilibrium level.

At this juncture, we discuss about a simple approach to treat with a dual-role factor and find the behavior of this factor as input, output, or equilibrium.

Model (3) treats dual-role factor only on the input side and as a nondiscretionary input.

Min
$$\theta_{1}$$

s.t.

$$\sum_{k=1}^{K} x_{ik} \lambda_{k} \leq \theta_{1} x_{io}, \quad i=1, ..., I,$$

$$\sum_{k=1}^{K} w_{k} \lambda_{k} \leq w_{o},$$

$$\sum_{k=1}^{K} y_{rk} \lambda_{k} \geq y_{ro}, \quad r=1, ..., R,$$

$$\lambda_{k} \geq 0,$$

$$\theta_{1} \text{ free}$$
(3)

Model (4) treats dual-role factor only on the output side.

```
min \theta_{2}

s.t.

\sum_{k=1}^{K} x_{ik} \lambda_{k} \leq \theta_{2} x_{io}, \quad i = 1, ..., I,
\sum_{k=1}^{K} y_{rk} \lambda_{k} \geq y_{ro}, \quad r = 1, ..., R,
\sum_{k=1}^{K} w_{k} \lambda_{k} \geq w_{o},
\lambda_{k} \geq 0,
\theta_{2} \text{ free}
(4)
```

Table 2 shows the algorithm of this new approach.

Table 2. Algorithm of the proposed approach

```
Step 1. Start. Step 2. Treat dual-role factor only on the input side and run Model (3). Step 3. Treat dual-role factor on the output side and run Model (4). Step 4. Find max (\theta_1,\theta_2)=\theta^* and consider it as efficiency score of DMU<sub>o</sub>. Step 5. Now, consider \theta_1,\theta_2 as an indicator of dual-role factor's behavior as well. The \theta_1,\theta_2 are interpreted as below<sup>1</sup>. Case 1: If \theta_1>\theta_2, then the dual-role factor is "behaving as input". Case 2: If \theta_1<\theta_2, then the dual-role factor is "behaving as output". Case 3: If \theta_1=\theta_2, then the dual-role factor is at equilibrium level.
```

¹ Since DEA computes weights that give the highest possible relative efficiency score to a DMU while keeping the efficiency scores of all DMUs less than or equal to one under the same set of weights, so we select max (θ_1, θ_2) as the indicator of dual role-factor's behavior.

Therefore, by using the above algorithm the limitation of conventional treatment of dual-role factor discussed in Section 1 has been resolved. In the next section, a numerical example is presented. In this example we examine the ability of our proposed approach in determining the efficiency scorers of suppliers and the behavior of dual-role factor.

4. NUMERICAL EXAMPLE

To demonstrate the application of the proposed approach in supplier selection context, we use the data set from Farzipoor Saen (2010b). The inputs for selecting suppliers include Total Cost of shipments (TC), Number of Shipments per month (NS), and Research and Development cost (R&D). The outputs utilized in the study are Number of shipments to arrive On Time (NOT), Number of Bills received from the supplier without errors (NB), and R&D. R&D plays the role of both input and output. Table 3 shows the data set for 18 suppliers.

R&D Supplier TC NS NOT NB

Table 3. Data set for 18 suppliers

Table 4 shows the results of the evaluation using conventional model (Model 2) and our proposed approach (Models 3 and 4), respectively.

Supplier (DMU)	Efficiency score derived by Model (2)	$ heta_1$	θ_2	$ heta^*$	Dual-role factor's Behavior
1	0.971024	0.971024	0.965187	0.971024	K ₂
2	1	0.999252	1	1	<i>K</i> ₁
3	1	1	1	1	<i>K</i> ₃
4	1	1	1	1	K ₃
5	0.996941	0.997029	0.990751	0.997029	K_2
6	1	1	1	1	$\overline{K_3}$
7	1	1	0.938749	1	K_2
8	0.980852	0.977741	0.980852	0.980852	$\overline{K_1}$
9	0.977673	0.977442	0.977673	0.977673	K ₁
10	0.852475	0.851726	0.852475	0.852475	K ₁
11	0.855143	0.855809	0.851216	0.855809	K_2
12	0.9205	0.919077	0.9205	0.9205	$\overline{K_1}$
13	0.977534	0.997048	0.980756	0.997048	K_2
14	1	1	0.999626	1	$\overline{K_2}$
15	1	1	1	1	$\overline{K_3}$
16	0.957823	0.956127	0.960464	0.960464	K_1
17	1	0.977296	1	1	Κ ₁
18	1	1	1	1	K ₃

Table 4. Efficiency scores and output/input behavior

Results of evaluation by using Model (2) show that, suppliers 2, 3, 4, 6, 7, 14, 15, 17, and 18 are efficient with a relative efficiency score of 1 and the remaining 9 suppliers with relative efficiency scores of less than 1 are considered to be inefficient. The θ_1 shows the radial efficiency score of DMU_o derived by Model (3), that the R&D cost is treated on the input side and as a nondiscretionary input. The θ_2 shows the radial efficiency score of DMU_o by using Model (4), that the R&D cost is treated on the output side. The θ^* is the final radial efficiency score of DMU_o derived by max (θ_1, θ_2) . Notice that, the θ^* and results of Model (2), found the same efficient suppliers.

Also the results show that $K_1=7$, $K_2=6$, and $K_3=5$. Suppliers in K_1 are those wherein the R&D is behaving like an output, and where more of such factor would improve the efficiencies of the members of that set. For those suppliers in K_2 , R&D is behaving like an input, and less of such factor would increase the efficiency of the members. The three suppliers in K_3 are at an equilibrium level.

To highlight the validity of our proposed approach and its difference from the classical model (Model 2), the nonparametric Spearman correlation analysis between their results is shown in Table 5.

			Proposed approach	Model (2)		
Spearman's rho	Proposed approach	Correlation Coefficient	1.000	0.986		
		Sig. (2-tailed)		0.000		
	Model (2)	Correlation Coefficient	0.986	1.000		
		Sig. (2-tailed)	0.000			

Table 5. Correlation coefficient between scores of proposed approach and Model (2)

Since correlation coefficient between the results of two approaches, at significant level of 0.01, is 0.986, there is a significant relationship between their results. Therefore, the proposed approach is able to find efficiency scores of DMUs in an easier way than conventional model. It also has the capability to be easily combined with each kind of DEA models.

5. CONCLUDING REMARKS

Supplier selection strategy is the strategy adopted by the manufacturer, to evaluate and select suppliers, which fulfills the requirements of the manufacturer (Lemke et al., 2000). Because of the multi-criteria nature of supplier selection problem, DEA as an appropriate multi-criteria decision making tool, has been applied. To consider dual-role factor for supplier selection problem, a new approach is presented. We demonstrated the validity of the proposed approach via comparing the results with conventional models.

The problem considered in this study is at initial stage of investigation and further researches can be done based on the results of this paper. Some of them are as below.

- The proposed algorithm can be used in the presence of imprecise data.
- Preferences of decision maker can be incorporated into the proposed algorithm by restricting the feasible region of the inputs and outputs' weights.

REFERENCES

- Banker, R. D. and Morey, R. C. (1986), "Efficiency analysis for exogenously fixed inputs and outputs", Operations Research, Vol. 34, No. 4, pp. 513-521.
- Barbarosoglu, G. and Yazgac, T. (1997), "An application of the analytical hierarchy process to the supplier selection problem", Production and Inventory Management Journal, Vol. 38, No. 2, pp. 15-21.
- 3. Beasley, J. (1990), "Comparing university departments", Omega, Vol. 8, No. 2, pp. 171-183.
- Beasley, J. (1995), "Determining teaching and research efficiencies", Journal of Operational
- Research Society, Vol. 46, No. 4, pp. 441-452. Braglia, M. and Petroni, A. (2000), "A quality assurance-oriented methodology for handling tradeoffs in supplier selection", International Journal of Physical Distribution & Logistics Management, Vol. 30, No. 2, pp. 96-111.
- Carr, A. S. and Pearson, J. N. (1999), "Strategically managed buyer-supplier relationships and performance outcomes", Journal of Operations Management, Vol. 17, No. 5, pp. 497-519.

- Chang, S. L., Wang, R. C. and Wang, S. Y. (2006), "Applying fuzzy linguistic quantifier to select supply chain partners at different phases of product life cycle", International Journal of Production Economics, Vol. 100, No. 2, pp. 348-359.
- Charnes, A., Cooper, W. W. and Rhodes, E. (1978), "Measuring the efficiency of decision making units", European Journal of Operational Research, Vol. 2, No. 6, pp. 429-444.
- Cook, W. D., Green, R. H. and Zhu, J. (2006), "Dual-role factors in data envelopment analysis", IIE Transactions, Vol. 38, No. 2, pp. 105-115.
- Farzipoor Saen, R. (2010a), "A New Model for Selecting Third-Party Reverse Logistics Providers in the Presence of Multiple Dual-Role Factors", The International Journal of Advanced Manufacturing Technology, Vol. 46, No. 1-4, pp. 405-410.
- 11. Farzipoor Saen, R. (2010b), "Restricting weights in supplier selection decisions in the presence of dual-role factors", Applied Mathematical Modelling, Vol. 34, No. 10, pp. 2820-2830.
- 12. Ghodsypour, S. H. and O'Brien, C. (1998), "A decision support system for supplier selection using an integrated analytic hierarchy process and linear programming", International Journal of Production Economics, Vol. 56-57, No. 1, pp. 199-212.
- 13. Hahn, C. K., Watts, C. A., and Kim, K. Y. (1990), "The supplier development program: a conceptual model", Journal of Purchasing and Materials Management, Vol. 26, No. 2, pp. 1-7.
- 14. Handfield, R. B., Monczka, R. M., Petersen, K. J. and Ragatz, G. L. (1999), "Involving suppliers in new product development", California Management Review, Vol. 42, No. 1, pp. 59-82.
- 15. Holt, G. D. (1998), "Which contractor selection methodology?", International Journal of Project Management, Vol. 16, No. 3, pp. 153-164.
- 16. Kahraman, C., Cebeci, U. and Ulukan, Z. (2003), "Multi-criteria supplier selection using fuzzy AHP", Logistics Information Management, Vol. 16, No. 6, pp. 382-394.
- 17. Lemke, F., Goffin, K., Szwejczewski, M., Pfeiffer, R. And Lohmullur, B. (2000), "Supplier base management: experiences from the UK and Germany", The International Journal of Logistics Management, Vol. 11, No. 2, pp. 45-58.
- 18. Li, C. C., Fun, Y. P. and Hung, J. S. (1997), "A new measure for supplier performance evaluation", IIE Transactions on Operations Engineering, Vol. 29, No. 9, pp. 753-758.
- 19. Lin, Ch. W. R. and Chen, H. Y. S. (2004), "A fuzzy strategic alliance selection framework for supply chain partnering under limited evaluation resources", Computers in Industry, Vol. 55, No. 2, pp. 159-179.
- 20. Liu, J., Ding, F. Y. and Lall, V. (2000), "Using data envelopment analysis to compare suppliers for supplier selection and performance improvement", Supply Chain Management: An International Journal, Vol. 5, No. 3, pp. 143-150.
- Mohammady Garfamy, R., (2006), "A data envelopment analysis approach based on total cost of ownership for supplier selection", Journal of Enterprise Information Management, Vol. 19, No. 6, pp. 662-678.
- 22. Morlacchi, P. (1999), "Vendor evaluation and selection: the design process and a fuzzyhierarchical model", Proceedings of Eighth IPSERA conference, Dublin.
- Narasimhan, R. (1983), "An analytical approach to supplier selection", Journal of Purchasing and Supply Management, Vol. 19, No. 4, pp. 27-32.
- 24. Nellore, R. (2001), "Managing buyer-supplier relations", Taylor & Francis Group, London.
- 25. Nydick, R. L. and Hill, R. P. (1992), "Using the analytical hierarchy process to structure the supplier selection procedure", International Journal of Purchasing and Materials Management, Vol. 28, No. 2, pp. 31-36.
- 26. Özgen, D., Önüt, S., Gülsün, B., and Tuzkaya, U. R., (2008), "A tow-phase possibilistic liner programming methodology for multi-objective supplier evolution and order allocation problems", Information Sciences, Vol. 178, No.2, pp. 485-500.
- 27. Talluri, S. and Narasimhan, R. (2003), "Vendor evaluation with performance variability: a max-min approach", European Journal of Operational Research, Vol. 146, No. 3, pp. 543-552.
- 28. Talluri, S. and Narasimhan, R. (2004), "A methodology for strategic sourcing", European Journal of Operational Research, Vol. 154, No. 1, pp. 236-250.
- Talluri, S., Narasimhan, R. and Nair, A. (2006), "Vendor performance with supply risk: a chanceconstrained DEA approach", International Journal of Production Research, Vol. 100, No. 2, pp.
- 30. Weber, C. A. (1996), "A data envelopment analysis approach to measuring vendor performance", Supply Chain Management: An International Journal, Vol. 1, No. 1, pp. 28-39.
- 31. Weber, C. A., Current, J. and Desai, A. (2000), "An optimization approach to determining the number of vendors to employ", Supply Chain Management: An International Journal, Vol. 5, No. 2, pp. 90-98.